



ROSEDOOR

2024 FIRE DOOR CATALOG

2024 yangın kapısı katalođu



FR-100



YANGIN ÇIKIŞ KAPILARI

FIRE EXIT
DOORS

DOOR SYSTEMS





FR-101



FR-102



FR-103




FR-104



FR-105



FR-106



FR-107



FR-108





FR-109



FR-110



FR-111



FR-112



FR-113


FR-114



FR-115



FR-116






FR-117





YANGIN KAPISI DETAYLARI


Fire Exit Details



STANDART KAPI MODÜLÜ
OUR STANDARD




YANGIN KAPISI TEKNİK ÖZELLİKLERİ

Fire Exit Technical Details



ÇELİK KAPI DETAYLARI

Steel Door Details



İMALAT ÜRETİM ÖLÇÜSÜ
Standard Production Size

90x200 cm

A	İÇ PERVAZ GENİŞLİĞİ In door frame out to out size	106 cm
B	GİRİŞ BOŞLUĞU (EN) Entrance place (Width)	90 cm
C	DUVAR BOŞLUĞU (EN) Empty wall to wall size (Width)	96 cm
D	DIŞ PERVAZ GENİŞLİĞİ Out frame out to out size (Width)	106 cm
E	DUVAR KALINLIĞI - AYARLI KASA Wallthickness - Adjustable Frame	24-18 cm
F	GİRİŞ BOŞLUĞU (BOY) Entrance place (Length)	200 cm
G	DUVAR BOŞLUĞU (BOY) Empty wall to wall size (Length)	203 cm
H	DIŞ PERVAZ YÜKSEKLİĞİ Out frame out to out size (Length)	208 cm
K	İÇ PERVAZ YÜKSEKLİĞİ In frame out to out size (Length)	208 cm
L	NET GİRİŞ BOŞLUĞU (EN) Clear entrance size (Width)	86.5 cm



ROSEDOOR

KAPI SİSTEMLERİ / DOOR SYSTEMS

www.rosehantrade.com



BE DIFFERENT
FARKINIZ OLSUN..